

# de Jong Duke Nio Brewer


## Seattle's Best Coffee Image Files Upload Instructions

Uploading of the Seattle's Best Coffee branded images and recipes for the Nio brewer requires a new/empty USB drive pre-loaded with the programming.


Please visit our [Operator Toolkit](#) site to download the Seattle's Best Coffee images and recipes.

### REMOVING THE IMAGE AND RECIPE FILES FROM A ZIP FILE


The files downloaded from the [Operator Toolkit](#) will be contained in a ZIP file. The individual image and recipe files must be removed from the ZIP file and placed on the USB drive being used **prior** to uploading on to the Nio brewer.

**1** 


Click on the Zip file to open it

**2** 

Click and open the next file

**3** 

Highlight and copy all the individual files.

**4** 

Paste files onto empty USB drive.

USB is now ready for upload

Instruction on uploading image & recipe files begin on next page.


# de Jong Duke Nio Brewer

## Seattle's Best Coffee Image Files Upload Instructions

### ACCESSING THE IMAGE UPLOAD SCREEN




1 Find the brewer's USB port located next to the unit's dispense spout.




2 Remove the port's protective cover and insert the USB drive.




3 **Press & Hold** the bottom center of the main screen for approx. 5 seconds.



4 Press **LOGIN** in the upper right of the screen.



5 Enter access code, **6666** then press **LOGIN**.




6 Select **IMAGES**

**Continue to next page for image upload instructions.**


# de Jong Duke Nio Brewer

## Seattle's Best Coffee Image Files Upload Instructions


### UPLOADING USER LOGO IMAGE




Select  
**LOAD USER LOGO 250X90**



Press  
**USB DEVICE 0**



Select  
**deJongDuke-Nio-SBC-Logo**




Press the **BACK** button **2x** to return to the main image screen.


# de Jong Duke Nio Brewer

## Seattle's Best Coffee Image Files Upload Instructions


### UPLOADING STANDBY IMAGE




Select  
**LOAD STANDY IMAGE**



Press  
**USB DEVICE 0**



Select  
**deJongDuke-Nio-SBC-Stand-By-Screen**




Press the **BACK** button **2x** to return to the main image screen.


# de Jong Duke Nio Brewer

## Seattle's Best Coffee Image Files Upload Instructions


### UPLOADING DISTRIBUTING IMAGE




From the main Image screen, press **PgDwn** at the bottom of the screen.




Select **LOAD DISTRIBUTING IMAGES**



Press **USB DEVICE 0**



Select **deJongDuke-Nio-SBC-Distribute-Screen**




Press the **BACK** button **3x** to return to the main image screen.


# de Jong Duke Nio Brewer

## Seattle's Best Coffee Image Files Upload Instructions


### UPLOADING BACKGROUND IMAGE




From the main Image screen, press **PgDwn** at the bottom of the screen until **LOAD BACKGROUND IMAGE** is visible.




Select **LOAD BACKGROUND IMAGE**



Press **USB DEVICE 0**



Select **deJongDuke-Nio-SBC-Background-Screen**



Press the **BACK** button **4x** to return to the main image screen.

# de Jong Duke Nio Brewer


## Seattle's Best Coffee Recipe File Upload Instructions

Uploading of the Seattle's Best Coffee branded programming for the Nio brewer requires a new/empty USB drive pre-loaded with the programming.

Please visit our [Operator Toolkit](#) site to download the Seattle's Best Coffee software.




1 Find the brewer's USB port located next to the unit's dispense spout.




2 Remove the port's protective cover and insert the USB drive.




3 Press & Hold the bottom center of the main screen for approx. 5 seconds.




4 Press **LOGIN** in the upper right of the screen.




5 Enter access code, **6666** then press **LOGIN**.




6 Select **SOFTWARE CONFIGURATIONS**




7 Select **LOAD CONFIGURATION FROM USB**



8 Press **USB DEVICE 0**



9 Select the proper software file:  
**deJongDuke-Nio-SBC-Recipes**



10 Once the software upload is complete, remove the USB drive from the USB port.

Replace the protective cover.

The recipe upload process is complete!